

# New Product Bulletin

Europe, Middle East Parts

April 2018

<u>Part Number</u>	<u>Application</u>	<u>Cross-ref.</u>	<u>Dimensions</u>	<u>Description</u>
<b>AF4246</b>	Iveco Trucks Eurocargo III equipped with Iveco Tector 6 F4A/Tector 4 F4A engines	Iveco 42558096/42554488, Jura Filtration SA17428, Donaldson P788895, DT 7.17025 Febi 49347	Length: 253 mm Width: 126 mm Height: 232 mm Depth: 232 mm Overall length: 262 mm	Air Filter
<b>FS20132</b>	Renault Trucks C,K &T-Series; Volvo Trucks FHII (New FH 2013); FMII / FMXII (New FM/FMX2013-)	Volvo 21764964/7421764981, Jura Filtration SN909420, Mack 22094987	H: 131 mm OD: 110,5 mm Gasket ID: 94, 5 mm Gasket OD: 104,5 mm Thread: 1-14 UN-2B	Fuel Water Separator, Spin-On
<b>HF35518</b>	New Holland Tractors TS6.110/TS6.120 & TS6.125/TS6.140 equipped with FPT NEF 4.5L 1 FPT NEF 6.7L; TS6000/TS6020/TS6030; TB100/TB110/TB120	New Holland 82983474/47427164, Baldwin BT9439, Wix WL10073, Donaldson P551364, Jura Filtration SH66273	H: 262,5 mm OD: 123 mm Gasket OD: 113 mm Thread Size: 1 3/4-16 UN-2B	Hydraulic Filter, Spin-On

<u>Part Number</u>	<u>Application</u>	<u>Cross-ref.</u>	<u>Dimensions</u>	<u>Description</u>
<b>LF17582</b>	Mitsubishi Engines S12R-PTA & S16R-PTA Series	Mitsubishi 37540-11100, Donaldson P551133, Jura Filtration S06208, Wix 57174	H: 262 mm OD: 108 mm Gasket ID: 90,3 mm Gasket OD: 99 mm Thread: 1 1/2-12 UN-2B Flow Direction: Outside In	Lube Filter, Spin-On Full-Flow

# Parts from other regions

Part Number	Application	Cross-ref.	Dimensions	Description
<b>AF4261</b>	JCB Loaders 8025ZTS/8030ZTS/8035ZTS equipped with Perkins 403C-15 (Tier2), 403D-15 (Tier3) and 403D-17 (Tier3) engines; 8026 CTS equipped with Perkins engine 403D-15 (Tier3); 8032 ZTS equipped with Perkins engine 403-15.	JCB 32/925895, Donaldson P603729, M+H CF6002, Jura Filtration SA16534, Wix 49729	L: 261 mm OD1: 67 mm OD2: 53 mm ID: 44 mm Media Type: Synthetic (Microglass)	conical Air Filter, secondary element for AF4219
<b>FF63040NN</b>	Komatsu wheel dozers WD600-6; Dump Trucks HD325-7, HD405-7, HM300-2 & HM400-2; Dozers D85EX-15EO & D85PX-15EO, D155AX-6, D275AX-5EO, D375A-6; Excavators PC400-8, PC450-8, PC600-8, PC600-8EO, PC850SE-8, PC850SE-8EO, PC1250-8, PC1250SP-8R.	Komatsu 600-319-3841/ 600-311-3841/600-319-3840, Donaldson P502480, Jura Filtration SN21610 Sakura FC56300	H: 274 mm OD: 126,1 mm Gasket ID: 92,7 mm Gasket OD: 105,9 mm Thread: 1 1/8-1.38 UN-2B Media Type: Polymeric Nanofiber	Fuel Filter Spin On
<b>MK14252</b>	Thermo King SB Series Maintenance kit	Thermo King 10-417		Maintenance Kit includes FS19580A (1x), LF9030 (1x), AF25119 (1x)
<b>MK14253</b>	Thermo King SB Series Maintenance kit	Thermo King 10-449		Maintenance Kit Includes FS20091 (1x), LF9030 (1x), AF25119 (1x)