

New Product Bulletin

Europe, Middle East Parts

August 2019

Part Number Application Cross-ref. Dimensions Description Segment



AD27746

DAF Trucks 65CF, 75CF, 85CF, CF65, CF75, CF85, LF45, LF55, NEW CF (CF86), NEW LF (LF46,LF56), NEW XF (XF106), XF105, XF95; VAN HOOL Trucks CL9, T9, TD9, TL9, TX, TDX; GINAF X-Series; TATRA Trucks Phoenix; VDL Bova Futura, Jonckhere JHD/JSD/SHD, VDL Citea & SB, Bova Lexio, Bova Magiq, Bova Synergy, Berkhof Ambassador

DAF 1681575, DAF 1821580, DAF 1891431, DAF 2124657, BOSCH 0986628259, KS KOLBENSCHMIDT 50014268, WIX 96007E, FIL FILTER ZP3510, DT 5.70003, MECAFILTER ELD8102, SAMPIYON CS2006, FEBI 103070, FILTRON AD785/3,

H: 164 mm
OD: 140 mm
Thread: M41x1.5-6H

Air Dryer for pneumatic brake system
Gasket OD : 111 mm
Media Type : Synthetic (Microglass)



AD27752











Mercedes Benz Trucks Unimog-Serie; Renault Trucks Midliner S-Serie














Mercedes Benz (A)0004293995, (A)0004294895, (A)0004295495, 000429549528, (A)0004292497; Bosch 0986628256 & 0986628251; Mann-Filter TB1374/4X; Mahle AL23; Knorr-Bremse II38789F/004 & II38789F; MAN 81.52102-0016; Renault Trucks 5000295422; Wabco 4324102202; ASAS SP1442; Donaldson P957032

H: 178 mm
OD: 140 mm
Thread: M42x1.5-6H

Air Dryer
Media Type : Microglass
Gasket Outside Diameter : 111 mm



| Part Number | Application | Cross-ref. | Dimensions | Description | Segment |
|---|---|---|--|--|---|
|  <p data-bbox="90 321 191 350">AF4265</p> | Volvo Trucks FL I (2000-2006) equipped with Volvo D6A/D6B engine | Volvo 3181986 Mann-Filter CP27001 Donaldson P951742 | H: 319 mm L: 268 mm W: 133,5 mm | Air Filter, Cartridge |  |
|  <p data-bbox="81 553 201 583">AF56009</p> | DAF Trucks New CF86 (Euro 6) equipped with DAF PX7, MX11 & MX13 engines | DAF 1953595, Mann-Filter CUK26018, Bosch 1987435581, AL Filter ALC-6339 | H: 53,5 mm L: 267,5 mm W: 170 mm | Cabin Air Filter, Activated Carbon |  |
|  <p data-bbox="81 792 201 821">AF56023</p> | CLAAS Tractors ARES & ATLES-Models | Claas 7700037937 | H: 18 mm L: 633 mm W: 55 mm | Cabin Air Filter |  |
|  <p data-bbox="81 1036 201 1065">AF56025</p> | John Deere Tractors 6000-Serie | John Deere AL212841 & AL181949 | H: 75 mm L: 451 mm W: 119 mm | Cabin Air Filter |  |
|  <p data-bbox="81 1341 201 1370">AF56026</p> | Fendt Tractors Farmer 200/300, Favorit 500/800/900-Models | Fendt H260810140180, F178810130040, H178810130070, X178810130040, H117811130100, Mann-Filter C30154 & CU30199, Hengst E619L, Zettelmeyer 34022023 | H: 55 mm L: 296 mm W: 212 mm | Cabin Air Filter Media Type : Cellulose |  |
|  <p data-bbox="81 1555 201 1585">AF56027</p> | Fiat Tractors 65-88DT, 70-88, 70-88DT, 80-88, 80-88DT, F100, F100DT, F110, F110DT, F120, F120DT, F130, F130DT | CNH 84268729 & 5124932 | H: 59 mm L: 457 mm W: 147 mm | Cabin Air Filter |  |

| Part Number | Application | Cross-ref. | Dimensions | Description | Segment |
|--|--|---|--|---|---|
|  | Liebherr Excavators A311 Litronic, A900C Litronic (>2006) equipped with D934S engine, A900C ZW equipped with D924TI-E engine, A904C Litronic, A906, A/R944C Litronic, PR724LPG/XL equipped with D934S engine, R900C Litronic (>2012), R904C Litronic, R914C (>2007), A/R924C Litronic, R926LC ADVANCED, R926LC CLASSIC equipped with D934SA6 engine, R934C-HDS LITRONIC equipped with D934L engine, A/R954C Litronic equipped with D936L engine, A/R924B Litronic equipped with D924TI-E engine. | Liebherr 10022770 | H: 10 mm L: 428 mm W: 147 mm | Cabin Air Filter Media Type: Foam |  |
|  | Case Loaders 580SR, 580SR Plus, 580ST, 580T, 590SR, 590ST, 695SR, 695ST; New Holland Loaders/Telehandlers/Trenchers B100B, B100B LR, B100B TC, B110, B110B, B115, B115B, B90B, B95, B95LR, B95TC, B95B, B95B LR, B95B TC, LB110, LB110.B, LB115.B, LB90, LB90.B, LB95.B | New Holland 47675769, 87314367, 87566980 & 87566972; Baldwin PA5734; Sakura CA45030 | H: 19,5 mm L: 420 mm W: 260 mm | Cabin Air Filter |  |
|  | Sandvik drill DP1500I equipped with Caterpillar C11 engine | Sandvik 55099910 | H: 25 mm L: 600 mm W: 400 mm | Cabin Air Filter Media Type: Foam |  |
|  | CaselH Axial-Flow Series; CaselH Steiger Serie 4WD TIER 4A; New Holland Tractors FR9040/FR9050 & FR9060; New Holland Tractors T9-Series TIER4A; Iveco Trucks Trakker & Stralis, Eurotech & Eurotrakker. | Iveco 504153481, Iveco 504209107, Iveco 500383040, UFI 27.266.04, Heuliez 3059401, Donaldson P903552, Baldwin CV15002, Alco MD8464, Sakura A70210 & A70211, KS Kolbenschmidt 50014092 | H: 25 mm L: 262 mm W: 139 mm | Crankcase Ventilation element Media Type : Synthetic (Microglass) |   |
|  | Fendt Tractors VARIO 724 S4 & TIER 3B SCR | Fendt G835860061040 & G835860061030 | H: 347,5 mm ID: 36 mm OD: 82 mm | Hydraulic Filter, Cartridge Media Type : Synthetic (Microglass) Flow Direction : Outside In Gasket ID (if present) : 38,9 mm |  |
|  | Volvo Penta engines D4 & D6-Series | Volvo Penta 22030852, 21632901 & 3582733, Mann-Filter WP962/5 | H: 211,5 mm OD: 96 mm Thread: 3/4-16 UN-2B | Lube Filter, Spin-On Media Type : Cellulose Flow Direction : Outside In Filter Configuration : By-Pass/Gasket ID : 61,5 mm/ Gasket OD : 70,5 mm |  |

Parts from other regions

| <u>Part Number</u> | <u>Application</u> | <u>Cross-ref.</u> | <u>Dimensions</u> | <u>Description</u> | <u>Segment</u> |
|--------------------|---|---|--|---|---|
| AF4273 | Van Hool Bus A300L equipped with Cummins LT10 | Van Hool 11179604 | L: 591,9 mm ID: 177,3 mm OD: 313 mm | Primary Air Filter, Cylindrical Media Type : Cellulose |  |
| FF63042NN | Cummins engines QSK23/QSK38/QSK50/QSK60/QST30 | Cummins 5375819 | H: 306 mm OD: 138,2 mm Thread: M110x2.5-7H | Fuel Filter, Spin-on Gasket Inside Diameter : 119 mm Gasket Oustide Diameter : 138,2 mm Media Type : Polymeric Nanofiber |  |
| FK13850NN | Detroit Diesel engines DD13, DD15 & DD16 | Detroit Diesel (A)4720900651, (A)4700903151, (A)4720900551, (A)4720900451 | | Detroit Diesel Fuel Kit Replaces the FK13834/ |  |
| HF29098 | Caterpillar engine C32 | Caterpillar 417-6206 , Demag 6001435. | H: 159,26 mm ID: 24,38 mm OD: 44,96 mm | Hydraulic Filter, Cartridge Media Type : Microglass Gasket OD (if present) : 30,6 mm Gasket ID (if present) : 24,4 mm Flow Direction : Outside In |  |

Replaced and obsoleted parts

Part number

Replacement PN

132730SB

None

145664SB

None

150037S

None

154272S

None

156779S

None

156780S

None

161917SB

None

173368SB

None

202592S

None

250301S

None

250383S

None

250457S

None

251091S

None

254329S

None

254503S

None

3301949S

None

89440A

None

89450A

None

AF4945

None

FF5095

FF42002

FS19731G

FS19731