












New Product Bulletin

Europe, Middle East Parts

July 2019

Part Number	Application	Cross-ref.	Dimensions	Description	Segment
 AD27749	Scania G; G New Generation; L; P; P New Generation; R; R New Generation; T; Scania Bus A30, Higer A30, Citywide LE/LF, Interlink HD/LD/MD, Irizar i4 / i4h / i4 LE/ i6; Omnicity/line/Link (Irizar), OmniExpress, PB/Irizar PB, Touring	Scania 2307617, 2081360, 1774598, 2562323 Wabco 4329012261, 4329012262, 4324109282, 4329012282, 4329012281, 4324109432 Knorr-Bremse K087957, K115979X00	H: 179 mm OD: 140 mm Thread: 1 1/4-0.09 British-Other	Air Dryer Media Type: Microglass Gasket OD: 111 mm	
 HF29114	Fendt Tractors 700 Vario-Serie, Favorit 700/700 Vario-Serie, Favorit 800/800 Vario-Serie, Favorit 900/900 Vario; Mercedes Benz Transporter 407-410 (611/309)	Fendt F716961020330 & F716961020010 M+H H42 Mahle KX39 Mercedes Benz (A)0004775015	H: 50 mm ID: 10 mm OD: 27 mm	Hydraulic Filter, Cartridge Media Type: Cellulose Flow Direction: Outside In	
 HF29119	Volvo Excavators EC340D equipped with Volvo D13H (Tier 4), EC350D equipped with Volvo D8K, EC350E equipped with D13J, EC380D (L & NL) equipped with D13H (Interim Tier 4), EC380E equipped with D13J engine (Tier 4F), EC480D equipped with D13H engine (Interim Tier 4), EC480E equipped with Volvo D13J engine (Tier 4F); Volvo Pipe Layer PL4809D equipped with D13H (Tier 4)	Volvo 14569658 & 14690316 Sakura H-71210	H: 435 mm ID: 110 mm OD: 178 mm	Hydraulic Filter, Cartridge Media Type : Microglass Flow Direction: Outside In Gasket OD (if present): 130 mm Gasket ID (if present): 110 mm	

Parts from other regions

<u>Part Number</u>	<u>Application</u>	<u>Cross-ref.</u>	<u>Dimensions</u>	<u>Description</u>	<u>Segment</u>
AF4269	Carrier refrigerating units Extra equipped with Carrier CT4-114TV engine; Genesis Multi-Temp; Optima equipped with Carrier CT4-911TV engine, Ultima & Ultra equipped with Carrier CT4-134DI engine; Vector-Serie; Advantage-Serie	CARRIER 300043023 Thermo King P300043023	L: 258,1 mm ID: 67,6 mm OD: 113,8 mm	Air Cylindrical primary Media Type: Cellulose	
AF56007	Caterpillar Track-Type Tractors D10T, D8T, D11T, D9T	Caterpillar 2380479 & 2653857	H: 91,6 mm L: 501 mm W: 100 mm	Cabin Ar Filter	
FS20130	Caterpillar engine/generator set C175-16; Caterpillar articulated Trucks AD45B, AD55 & AD30	Caterpillar 3169954 & 4385385	H: 305 mm OD: 136 mm Thread: 1 1/4-12 UN-2B	Fuel Water Separator Spin-on Gasket ID: 97,5 mm Gasket Outside Diameter : 109,5 mm Media Type: Cellulose Standpipe: No	
LF14005NN	Cummins QSK-Series	Cummins 5375337	H: 292,1 mm OD: 119,88 mm Thread: M90x2-7H	Lube Filter Spin-On Media Type: NanoNet Configuration: Full-Flow Flow Direction: Outsside In Gasket ID: 101,6 mm Gasket Outside Diameter: 120,3 mm	
LF16392	Caterpillar Dump Trucks 793F	Caterpillar 3944550 & 5216093	H: 550,67 mm OD: 152,4 mm	Lube Filter Cartridge Media Type: Microglass Flow Direction: Inside Out Gasket ID (if present): 123,42 mm Largest End ID: 95,5 mm	

Replaced and obsoleted parts

Part number	Replacement PN
-------------	----------------

FH23464

None

HF30151

None

HF30904

None