









New Product Bulletin

Europe, Middle East Parts




March 2019

<u>Part Number</u>	<u>Application</u>	<u>Cross-ref.</u>	<u>Dimensions</u>	<u>Description</u>	<u>Segment</u>
 FF5962	Doosan Excavators DL420A, DX140W, DX160W, DX180LC, DX180LC-3, DX180W, DX190W, DX210W, DX225NLC, DX255LC, DX255LCV, DX300LC, DX300LC-V, DX300LL, DX340LC, DX420LC, DX480LC, DX520LC	Doosan 47100105A	H: 268 mm ID: 67 mm OD: 84,5 mm	Fuel Filter, Cartridge Media Type : Other	
 LF16401	Perkins Generators 1106A-70TAG2, 1106A-70TAG3, 1106A-70TAG4, 1106A-70TG1, 1106D-E70TAG2, 1106D-E70TAG3, 1106D-E70TAG4	Perkins 4627133	H: 192,5 mm OD: 93 mm Thread: M24x1.5-2B	Lube Filter, Spin-On Media Type : Cellulose Flow Direction : Outside In Full-Flow Gasket OD : 70 mm Gasket ID : 62,6 mm	





Parts from other regions

<u>Part Number</u>	<u>Application</u>	<u>Cross-ref.</u>	<u>Dimensions</u>	<u>Description</u>	<u>Segment</u>
FS53018	Cummins ISF2.8L, 2014 Tier4F	Cummins 5312460	H: 129 mm ID :20,6 mm OD : 81,2 mm	Fuel Water Separator featuring NanoNet	
FS53019	Cummins ISF2.8L, 2014 Tier4F	Cummins 5312461	H: 129 mm ID :20,6 mm OD : 81,2 mm	Fuel Water Separator featuring NanoNet	
HF29087	Caterpillar Trucks 793D	Caterpillar 2775812	H : 210 mm ID : 94 mm OD: 152 mm	Hydraulic Filter, Cartridge Media Type : Micro-glass Gasket OD (if present) : 145 mm Gasket ID (if present) : 138 mm	
HF29088	Caterpillar Trucks 773G, 772G, 773G, 777G, 775G, 770G, 775G, 797F, 770G, 777F, 793F, 773G	Caterpillar 2933645	H : 373,1 mm ID : 34,8 mm OD: 79 mm	Hydraulic Filter, Cartridge Media Type : Microglass Flow Direction : Inside Out Gasket OD (if present) : 67 Gasket ID (if present) : 60	



Parts from other regions

Part Number	Application	Cross-ref.	Dimensions	Description	Segment
HF29089	Caterpillar Trucks 793F CMD, 795F AC, 793F XQ, 797F, 795F XQ, 793F AC	Caterpillar 2933646	H : 236,73 mm ID : 34,8 mm OD: 79 mm	Hydraulic Filter, Cartridge Media Type : Microglass Flow Direction : Inside Out Gasket OD (if present) : 67 Gasket ID (if present) : 60	
HF29090	Caterpillar Trucks 793F CMD, 795F AC, 793F XQ, 797F, 795F XQ, 793F AC	Caterpillar 340-0402	H : 550,67 mm OD : 152,4 mm ID : 78,23 mm	Hydraulic Filter, Cartridge Media Type : Microglass Flow Direction : Inside Out Gasket OD (if present) : 124,13 Gasket ID (if present) : 117,07	
HF29091	Caterpillar Trucks 793F CMD, 793 XQ, 793F	Caterpillar 3400403	H : 296,7 mm ID : 78,2 mm OD: 152,4 mm	Hydraulic Filter, Cartridge Media Type : Microglass Flow Direction : Inside Out Gasket OD (if present) : 124 Gasket ID (if present) : 117	

Parts from other regions

<u>Part Number</u>	<u>Application</u>	<u>Cross-ref.</u>	<u>Dimensions</u>	<u>Description</u>	<u>Segment</u>
HF29092	Caterpillar Trucks 793F CMD, 795F AC, 793F XQ, 797F, 795F XQ, 793F AC	Caterpillar 3400406	H : 550,6 mm ID : 78,23 mm OD: 152,4 mm	Hydraulic Filter, Cartridge Flow Direction : Inside Out Media Type : Microglass Gasket OD (if present) : 124,13 Gasket ID (if present) : 117,07	
HF29094	Caterpillar Trucks 797F	Caterpillar 3400404	H : 550,6 mm ID : 78,23 mm OD: 152,4 mm	Hydraulic Filter, Cartridge Flow Direction : Inside Out Media Type : Microglass Gasket OD (if present) : 124,13 Gasket ID (if present) : 117,07	
HF29109	Komatsu Demag Excavator PC5500 equipped with Cummins QSK38 engine	Demag 79579273	H : 176,28 mm OD : 69,09 mm	Hydraulic Filter, Cartridge Flow Direction : Outside In Media Type : Wiremesh Gasket ID (if present) : 34,29	
HF29110	Komatsu Shovel PC3000	Demag 76319873	H : 176,28 mm OD : 69,09 mm	Hydraulic Filter, Cartridge Flow Direction : Outside In Media Type : Wiremesh Gasket ID (if present) : 34,29	

Parts from other regions

<u>Part Number</u>	<u>Application</u>	<u>Cross-ref.</u>	<u>Dimensions</u>	<u>Description</u>	<u>Segment</u>
HF29111	Volvo Dump Trucks A25D, A25E, A30D, A30E, A35D	Volvo 11119887	H : 390,91 mm ID : 84,6 mm OD: 120,4 mm	Hydraulic Filter, Cartridge Media Type : Microglass Flow Direction : Inside Out Gasket OD (if present) : 274,32	
HF29112	Komatsu Excavator PC3000-6, PC3000-8 & PC5500-6 equipped with SSA12V159 engine	Komatsu 79699573	H : 176,28 mm OD : 69,09 mm	Hydraulic Filter, Cartridge Flow Direction Outside In Media Type : Wiremesh Gasket ID (if present) : 34,29	
LF16391	Caterpillar Trucks 797F, 793F, 797, 793F XQ, 795F AC, 793F CMD, 793F AC, 797B	Caterpillar 3406283	H : 550,67mm OD : 152,4 mm	Lube Filter, Cartridge- Media Type : Microglass Flow Direction : Inside Out Gasket ID (if present) : 117,07 Largest End ID : 78,23	