

1. Identification

Product identifier	FLEETCOOL EG CONCENTRATE (Ethylene glycol based antifreeze)	
Other means of identification		
SDS number	LT16580	
Product code	CC2873, CC8969, CC2885, CC8967, CC2883, CC8965, CC2875, CC8966, CC8968, CC8962, CC8963, CC8962	
Recommended use	Concentrated antifreeze / coolant	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/Distributor information		
Manufacturer		
Company name	Cummins Filtration	
Address	1200 Fleetguard Road Cookeville, TN 38506 United States	
Telephone	24 Hours per day	1-800-22FILTER (1-800-223-4583)
E-mail	Not available.	
Emergency phone number	Within Continental U.S.	Chemtrec 1-800-424-9300
	Outside U.S.	Chemtrec 703-527-3887
Supplier	Not available.	

2. Hazard(s) identification

Physical hazards	This mixture does not meet the classification criteria according to OSHA HazCom 2012.	
Health hazards	Acute toxicity, oral	Category 4
	Reproductive toxicity	Category 2
	Specific target organ toxicity, single exposure	Category 2
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
	Specific target organ toxicity, single exposure	Category 3 narcotic effects
Environmental hazards	This mixture does not meet the classification criteria according to OSHA HazCom 2012.	
OSHA defined hazards	This mixture does not meet the classification criteria according to OSHA HazCom 2012.	
Label elements		



Signal word	Warning
Hazard statement	Harmful if swallowed. May cause respiratory irritation. May cause drowsiness or dizziness. Suspected of damaging fertility or the unborn child. May cause damage to organs.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If swallowed: Call a poison center/doctor if you feel unwell. If inhaled: Remove person to fresh air and keep comfortable for breathing. If exposed or concerned: Call a poison center/doctor. Rinse mouth.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

Human poison by ingestion (lethal dose of Ethylene glycol for humans reported to be 100 mL). Symptoms of poisoning may include cyanosis (bluish discoloration of the skin), nausea, dizziness, rapid heartbeat, irregular breathing, coma and death. Initially, the central nervous system is stimulated, followed by depression. Prolonged or repeated ingestion may cause bladder or kidney stones. May potentially result in lethal kidney damage. Prolonged or repeated overexposure may cause liver effects.

Supplemental information

Not applicable.

3. Composition/information on ingredients**Mixtures**

Chemical name	Common name and synonyms	CAS number	%
ETHYLENE GLYCOL	Glycol alcohol 1,2-ETHANDIOL	107-21-1	90-100
Diethylene Glycol	2-(2-HYDROXYETHOXY)ETHANOL BIS(2-HYDROXYETHYL) ETHER	111-46-6	0.1-1.0
Sodium Nitrite	Nitrous acid, sodium salt	7632-00-0	0.1-0.5
Disodium Tetraborate, Anhydrous	BORAX Sodium tetraborate	1330-43-4	<= 0.2
Other components below reportable levels			<= 0.3

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures**Inhalation**

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Skin contact

Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact

Rinse with water. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Most important symptoms/effects, acute and delayed

Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information

IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures**Suitable extinguishing media**

Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure. Vapors are heavier than air and may spread along floors. Vapors may travel considerable distance to a source of ignition and flash back.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted. However, may ignite if exposed to extreme heat and flame.

Hazardous combustion products

Carbon oxides. Formaldehyde. Other irritating fumes and smoke.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate personal protective equipment. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Use water spray to reduce vapors or divert vapor cloud drift. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

Environmental precautions

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Do not taste or swallow. Avoid contact during pregnancy/while nursing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash hands thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Disodium Tetraborate, Anhydrous (CAS 1330-43-4)	STEL	6 mg/m ³	Inhalable fraction.
ETHYLENE GLYCOL (CAS 107-21-1)	TWA Ceiling	2 mg/m ³ 100 mg/m ³	Inhalable fraction. Aerosol.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Disodium Tetraborate, Anhydrous (CAS 1330-43-4)	TWA	1 mg/m ³

US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value
Diethylene Glycol (CAS 111-46-6)	TWA	10 mg/m ³

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection

Wear protective gloves. Advice should be sought from glove suppliers.

Other

Wear appropriate chemical-resistant clothing.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. Seek advice from respiratory protection specialists.

Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state	Liquid.
Form	Liquid.
Color	Pink or Green.
Odor	Odorless.
Odor threshold	25 ppm (Ethylene glycol)
pH	9.2 - 9.7 (100%); 10.0 - 10.5 (50%)
Melting point/freezing point	Not available.
Initial boiling point and boiling range	383 °F (195 °C)
Flash point	231.8 °F (111.0 °C) Cleveland Open Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	3.2
Flammability limit - upper (%)	15.3
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.05 mm Hg @ 20° C/ 68° F
Vapor density	2.1
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Complete
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Flammability class	Not flammable
Specific gravity	1.11 - 1.14

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials. Do not use in areas without adequate ventilation.
Incompatible materials	Strong acids. Strong oxidizing agents. Alkali metals. Halogenated materials. Strong alkalis. Ketones.
Hazardous decomposition products	Carbon oxides. Formaldehyde. Other irritating fumes and smoke.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Prolonged inhalation may be harmful. May cause damage to organs by inhalation. May cause irritation to the respiratory system.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Kidney injury may occur. Harmful if swallowed. May cause damage to organs by ingestion.
Most important symptoms/effects, acute and delayed	Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea.

Information on toxicological effects

Acute toxicity	Harmful if swallowed. Narcotic effects. May cause mild irritation to skin, eyes and respiratory system. May cause respiratory irritation. May be harmful if swallowed. Harmful if absorbed through skin.
-----------------------	--

Components	Species	Test Results
Diethylene Glycol (CAS 111-46-6)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	13300 mg/kg
<i>Inhalation</i>		
LC50	Rat	> 5.08 mg/l
<i>Oral</i>		
LD50	Rat	25300 mg/kg
Disodium Tetraborate, Anhydrous (CAS 1330-43-4)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg
<i>Inhalation</i>		
LC50	Rat	> 2.04 mg/l/4h
<i>Oral</i>		
LD50	Rat	1200 mg/kg
ETHYLENE GLYCOL (CAS 107-21-1)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	9530 mg/kg
<i>Inhalation</i>		
LC50	Rat	10.92 mg/l, 4 hours
<i>Oral</i>		
LD50	Human	1110 - 1665 mg/kg
	Rat	4000 mg/kg
Sodium Nitrite (CAS 7632-00-0)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	No data in literature
<i>Inhalation</i>		
LC50	Rat	No data in literature
<i>Oral</i>		
LD50	Rat	85 mg/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.
----------------------------------	--

Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.
Respiratory or skin sensitization	
Respiratory sensitization	Not expected to be a respiratory sensitizer.
Skin sensitizer	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	
Not listed.	
Reproductive toxicity	Suspected of damaging fertility or the unborn child.
Specific target organ toxicity - single exposure	May cause damage to organs. Kidney injury may occur. Respiratory tract irritation. Narcotic effects. Causes damage to organs by ingestion.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration toxicity	Not available.
Chronic effects	Prolonged inhalation may be harmful. Prolonged or repeated overexposure may cause liver and kidney effects. Prolonged or repeated ingestion may cause bladder or kidney stones.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components	Species	Test Results
Diethylene Glycol (CAS 111-46-6)		
Aquatic		
<i>Acute</i>		
Algae	EC10	Green plankton algae (Chlorococcales) 1000 mg/l, 24 Hours
Crustacea	EC50	Water flea (Daphnia magna) 48900 mg/l, 48 Hours
Fish	LC50	Fathead minnow (Pimephales promelas) 77900 mg/l, 96 hours
Disodium Tetraborate, Anhydrous (CAS 1330-43-4)		
Aquatic		
<i>Acute</i>		
Algae	EC50	Green algae (Selenastrum capricornutum) 15.4 mg/l, 96 Hours
Crustacea	EC50	Water flea (Daphnia magna) 141 mg/kg, 48 Hours
Fish	LC50	Fathead minnow (Pimephales promelas) 332 mg/l, 96 Hours
<i>Chronic</i>		
Crustacea	NOEC	Water flea (Daphnia magna) 6 mg/l, 21 days
Fish	NOEC	Japanese rice fish (Oryzias latipes) 2.1 mg/l, 87 days
ETHYLENE GLYCOL (CAS 107-21-1)		
<i>Acute</i>		
	LC50	Rainbow trout (Oncorhynchus mykiss) 22810 mg/l, 96 Hours
Aquatic		
Crustacea	LC50	Water flea (Daphnia magna) 46300 - 57000 mg/l, 48 hours
<i>Acute</i>		
Algae	IC50	Green algae (Selenastrum capricornutum) 10940 mg/l, 96 Hours
	NOEC	Green algae (Selenastrum capricornutum) 10000 mg/l, 96 Hours
Sodium Nitrite (CAS 7632-00-0)		
<i>Acute</i>		
	LC50	Rainbow trout (Oncorhynchus mykiss) 0.54 mg/l, 96 hours

Components	Species	Test Results
Aquatic		
<i>Acute</i>		
Algae	EC50	Green Algae (Scenedesmus subspicatus) > 100 mg/l, 72 hours
Crustacea	EC50	Water flea (Daphnia magna) 15.4 mg/l, 48 hours
<i>Chronic</i>		
Algae	NOEC	Green Algae (Scenedesmus subspicatus) 100 mg/l, 72 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Partition coefficient n-octanol / water (log Kow)

Diethylene Glycol	-1.5
ETHYLENE GLYCOL	-1.36

Bioconcentration factor (BCF)

Diethylene Glycol	3
ETHYLENE GLYCOL	10

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not available.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Sodium Nitrite (CAS 7632-00-0)	1.0 % One-Time Export Notification only.
--------------------------------	--

CERCLA Hazardous Substance List (40 CFR 302.4)

ETHYLENE GLYCOL (CAS 107-21-1)	Listed.
Sodium Nitrite (CAS 7632-00-0)	Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories
 Immediate Hazard - Yes
 Delayed Hazard - Yes
 Fire Hazard - No
 Pressure Hazard - No
 Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
ETHYLENE GLYCOL	107-21-1	90-100
Sodium Nitrite	7632-00-0	0.1-0.5

Other federal regulations**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

ETHYLENE GLYCOL (CAS 107-21-1)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations**US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)**

Not listed.

US. Massachusetts RTK - Substance List

Disodium Tetraborate, Anhydrous (CAS 1330-43-4)

ETHYLENE GLYCOL (CAS 107-21-1)

Sodium Nitrite (CAS 7632-00-0)

US. New Jersey Worker and Community Right-to-Know Act

Disodium Tetraborate, Anhydrous (CAS 1330-43-4)

ETHYLENE GLYCOL (CAS 107-21-1)

Sodium Nitrite (CAS 7632-00-0)

US. Pennsylvania Worker and Community Right-to-Know Law

Diethylene Glycol (CAS 111-46-6)

Disodium Tetraborate, Anhydrous (CAS 1330-43-4)

ETHYLENE GLYCOL (CAS 107-21-1)

Sodium Nitrite (CAS 7632-00-0)

US. Rhode Island RTK

ETHYLENE GLYCOL (CAS 107-21-1)

Sodium Nitrite (CAS 7632-00-0)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes

Country(s) or region	Inventory name	On inventory (yes/no)*
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 02-27-2015

Version # 01

Disclaimer Prepared by: ICC The Compliance Center Inc. 1-888-442-9628
<http://www.thecompliancecenter.com>

Disclaimer

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by / obtained from Cummins Filtration and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc. and Cummins Filtration expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Cummins Filtration The information in the sheet was written based on the best knowledge and experience currently available.

Revision Information Product and Company Identification: Product Codes
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Regulatory Information: Canada
GHS: Classification

Bibliography Not available.