



New Product Bulletin






Europe, Middle East Parts

December 2019

<u>Part Number</u>	<u>Application</u>	<u>Cross-ref.</u>	<u>Dimensions</u>	<u>Description</u>	<u>Segment</u>
AF55743	Caterpillar Expanded mining equipments MD5150C, 6015B; Caterpillar Telescopic Handlers MH3022, MH3024, MH3026 & MH3295; Caterpillar Wheeled Loaders M314F, M316F, M320F, M322F, M318F & M322F	Caterpillar 327-6618, Sakura CA-55170	H: 66 mm L: 277 mm W: 189,5 mm	Cabin Air Filter	

Parts from other regions

<u>Part Number</u>	<u>Application</u>	<u>Cross-ref.</u>	<u>Dimensions</u>	<u>Description</u>	<u>Segment</u>
AF4332	New Holland Tractors T9000-Serie; TJ-Serie; CaseIH Tractors Steiger-Serie	New Holland 87443710 & 87443711, 87727665 Donaldson P631391	L: 352,9 mm OD: 420,9 mm	Air Filter, Cylindrical Primary Air Filter fitted with the AF4333	

<u>Part Number</u>	<u>Application</u>	<u>Cross-ref.</u>	<u>Dimensions</u>	<u>Description</u>	<u>Segment</u>
FF63046NN	Cummins ISG11 & ISG12 engines	Cummins 5486895	H: 200,6 mm ID: 28,5 mm OD: 95,6 mm	Fuel Filter, Cartridge Mediatype: Polymeric Nanofiber (NanoNet/ NanoForce) Upgrade for FF63013	
FS20152	JCB Loaders, Handlers, Lift Trucks & Generators all equipped with Dieselmex 444 (Tier2) engine	JCB 32/925705 Baldwin BF9830-D	H: 134,4 mm ID: 22,2 mm OD: 87,9 mm	Fuel Water Separator, Cartridge	
HF29121	Caterpillar Earthmoving Compactors 815K, 816K, 825K, 826K & 836K; Caterpillar Wheel Loaders 814K, 824K, 834K, 844K & 854K; Caterpillar Wheel Tractors 621H, 621K, 623H, 627H, 623K, 623K LRC, 627K & 627K LRC	Caterpillar 295-6257	H: 210,75 mm ID: 25,4 mm OD: 56,39 mm	Hydraulic Filter, Cartridge Flow Direction : Outside In Media Type : Microglass Gasket Inside Diameter (if present) : 25,4 mm	
HF29147	John Deere 400-Serie, X-Serie (Garden Tractor) & Z-Serie	John Deere AM116156(C) & AM131054 Mann-Filter W10007 Baldwin BT8499	H: 96,82 mm OD: 93,92 mm Thread: 1-14 UN-2B	Hydraulic Filter, Spin-On Gasket OD : 62,53 mm	
LF16348	John Deere Cotton Pickers CP690, 7760 & CS690; John Deere Tractors 9330, 9410R, 9420R, 9430, 9430T, 9460R, 9460RT, 9470R, 9470RT, 9470RX, 9510R, 9510RT, 9520R, 9520RT, 9520RX, 9530, 9530T, 9560R, 9560RT, 9630, 9630T; John Deere Harvesters 7000 & 8000-Series	John Deere RE572785, RE557343 & RE561823	H: 301,96 mm OD: 118,31 mm Thread: M52x1.5-6H	Lube Filter, Spin-On Me- dia Type : Stratapore Filter Configuration : Full-Flow Gasket OD : 118,87 mm Gasket ID : 101,85 mm	

Replaced and obsoleted parts

Part number	Replacement PN	Part number	Replacement PN
3986767	UK176	FF5720	
AS2327		FF5748	
3972255S	SP72263	FS20006	
3832350S		HF6023	
3895540S		HF6908	
3952201		LF16260	
3960293		LF16270	
3974531		LF16280	
AA2904		LF16284	
AA2905		LF16295	
AA2910		LF3436	
AF1927		LF16283	
AF25347			
AF26624			
AF27824			
AF27879	AF56500		
AF4839			
AF872SD			
AK158			
CS44000	CS41018		
CV52028			
CV52034			
HF30742			